

FK-956G

进 取 不 止

www.fukeonline.com

fk002@fukebn.com

Basic Configuration

Bucket capacity

1-1.2m³

Operation weight

8200kg

Rated power

Tire size

Basic Parameters ●

Rated power:162KW

Overall Dimension (mm) (L × W × H):

8160X3050X2300

Bucket Capacity:1.5m³

Operation weight:8200KG

Tire size:17.5-25R

Excellent Performance

Outstanding Performance

The Equipment Is Firm

Reliable Quality

Brand Guarantee

Reliable structure

Excellent efficiency

Booster

Car air conditioner

Protective Device

GPS positioning

On-board repair tools

CD Player

Fire extinguisher

Comfortable operation



Safe performance

High efficiency

Strong bearing

Driving comfort

Loader Outline ●



*We follows the principle of continuous improvement Product performance parameters will be partially changed due to technical improvements without prior notice.

Contact us:

Sun Xianfeng - Phone/Whatsapp:+8613505697380 |

Email:fk002@fukebn.com/fuke7380@gmail.com |

Mr.Zhang - Phone/Whatsapp:+8613291848418 | Email:zh@fukebn.com

Web:

www.fukeonline.com

Loader accessories ●



*We follow the principle of continuous improvement Product performance parameters will be partially changed due to technical improvements without prior notice.

Contact us:

Sun Xianfeng - Phone/Whatsapp: +8613505697380 |

Email: fk002@fukebn.com / fuke7380@gmail.com |

Mr. Zhang - Phone/Whatsapp: +8613291848418 | Email: zh@fukebn.com

Web:

www.fukeonline.com

